

**BEST AVAILABLE COPY**

- 2 -

1. (Currently Amended) An enclosure system for scaffolding frame, comprising:

- (a) a plurality of stackable section members each having a first end and a second end, and at least one slot, whereby said stackable section members are stacked one on top of each other adjacent to said scaffolding frame, the scaffolding frame defining a longitudinal frame axis, so that each of said slot of each stackable section member is radially aligned with one another with respect to said frame axis to form a continuous slot;
- (b) mounting members for securing each of said stackable section members to said scaffolding frame; and [[, and;]]
- (c) an enclosing means adapted to engage said slot and said continuous slot when said stackable section members are stacked one on top of each other to enclose said scaffolding frame.

2. (Original) An enclosure system for scaffolding frame as claimed in claim 1, wherein said plurality of stackable section members are further defined as a profile with a top side, a bottom side, and two sides wherein each side has one of said slots further defined as a C-shaped channel along each of said sides that engages said enclosing means.

3. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 2 [[1]], further comprising a connecting member for connecting either said first end or said second end of said stackable section members to one another.

4. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 3 [[1]], wherein said profile further comprises a series of recesses at said first and second ends that receive said connecting member.

5. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 4 [[1]], wherein said profile further comprises a central pocket running the length of each of said profile.

6. (Original) An enclosure system for scaffolding frame as claimed in claim 1, wherein said mounting member is a bracket adapted to receive said scaffolding frame.

**BEST AVAILABLE COPY**

- 3 -

7. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 6 [[1]], wherein said bracket is notched to receive a fastening means for securing said bracket to said stackable section members.
8. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 1, wherein said enclosing means is an adjustable tarp having two side edges that are adapted, down the length of each of said side edges, to engage each of said C-shaped channels.
9. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 8 [[1]], wherein said side edges of said tarp further comprise a guide member attached to each of said side edges, whereby said guide member is inserted into each of said C-shaped channels on each of said sides of said stackable section members and said side edges of said tarp are slidingly guided within [[up]] said C-shaped channels.
10. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 9 [[1]], wherein said guide member may be rope or wire.
11. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 8 [[1]], wherein said adjustable tarp has elastised portions.
12. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 8 [[1]], wherein said adjustable tarp made from insulated material, reflective material, transparent material or camouflage material.
13. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 8 [[1]], wherein adjustable tarp further comprises a top edge and a bottom edge, said top and bottom edges each has a linking member, wherein said linking member on said top edge of said tarp can connect to a linking member on a bottom edge of an adjacent adjustable tarp.
14. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 13 [[1]], wherein said bottom side further comprises a telescoping portion to adjust the distance between said stackable section members and said scaffold frame.
15. (Currently Amended) An enclosure system for scaffolding frame having a first vertical member and a second vertical member, the enclosure system comprising:

**BEST AVAILABLE COPY**

- 4 -

(a) a plurality of stackable section members each having a first end, a second end, a top side, a bottom side, and two sides, each side having a slot whereby said stackable section members are stacked one on top of each other adjacent to said first vertical member to form a first continuous profile, the first vertical member defining a longitudinal frame axis, whereby each slot on either side of each stackable section member is radially aligned with respect to said frame axis when said first continuous profile is mounted to said scaffold frame thereby forming a continuous slot on each of said two sides;

(b) mounting members for securing each of said stackable section members to said scaffolding frame; and ~~[[, and;]]~~

(c) an enclosing means adapted to engage each continuous slot;

wherein said first continuous profile is secured to said ~~[[a]]~~ first vertical member ~~of said scaffold frame~~ and a second continuous profile is secured to said ~~[[a]]~~ second vertical member ~~of said scaffold frame~~, and said enclosing means engages each of said continuous slots or said first continuous profile and said second continuous profile.

16. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 15 ~~[[1]]~~, wherein said enclosing means ~~[[is]]~~ further comprises a top edge and a bottom edge, said top and bottom edges each has a linking member, wherein said linking member on said top edge of said enclosing means can connect to a linking member on a bottom edge of an adjacent enclosing means.

17. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 15 ~~[[1]]~~, wherein said enclosing means is an adjustable tarp having two side edges that are adapted, down the length of each of said side edges, to slidingly engage each of said slots.

18. (Currently Amended) An enclosure system for scaffolding frame as claimed in claim 15 ~~[[1]]~~, wherein said adjustable tarp has elastised portions and made from insulated material, reflective material, transparent material or camouflage material.

19. (Withdrawn)

20. (Withdrawn)